

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	12	"6272548"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 16:37
L5	508	("WILKINSON, MARK" or "MILLER, RONALD" or "MCDANIELS, MICHAEL")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 16:49
L6	0	I5 and (((("source" or "destination") adj "address") with packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 16:50
L7	2	"MIRAGE NETWORKS, INC"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 16:50
L8	14	(((("source" or "destination") adj "address") with "synthetic")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:12
L10	3	"7240368"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:12
L11	316	726/23	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:12
L12	0	I11 and (((("source" or "destination") adj "address") with "synthetic")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:14
L13	2	I11 and ("synthetic" with "address")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:14
L14	400	726/13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:13
L15	1	I14 and (((("source" or "destination") adj "address") with "synthetic")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:14

EAST Search History

L16	2	l14 and ("synthetic" with "address")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:14
L17	408	726/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:14
L18	0	l17 and (((("source" or "destination") adj "address") with "synthetic")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:14
L19	1	l17 and ("synthetic" with "address")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/21 18:15

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)

destination address is synthetic

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)

"is" is a very common word and was not included in your search. [\[details\]](#)

Patents

Patents 1 - 10 on **destination address is synthetic**. (0.02 seconds)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Arrangement for traversing an IPv4 network by IPv6

mobile nodes

US Pat. 6865184 - Filed May 28, 2003 - Cisco Technology, Inc.

Hence, the **synthetic** tag **address** enables the 55 **destination** IPv6 router to send an IPv6 reply packet back to the source IPv6 mobile node via the IPv4 ...

Method of producing and modifying a **synthetic** picture

US Pat. 4689616 - Filed Jul 29, 1985 - U.S. Philips Corporation

The memories 7 and 5 are alternately source and **destination** memories ...

object width counter 24 **destination address** register 25 **destination address** counter ...

Arrangement for traversing an IPv4 network by IPv6 mobile nodes via a ...

US Pat. 7149225 - Filed Jul 11, 2003 - Cisco Technology, Inc.

The **synthetic** tag **address** includes a unique identifier that enables the MAP to

... The first IPv4 packet has a **destination address** field specifying the IPv4 ...

System for transferring pixel data from a digitizer to a host memory using ...

US Pat. 5943504 - Filed Apr 14, 1997 - International Business Machines Corporation

... processor while a new **destination address** is loaded. In one embodiment, the

invention provides a mechanism to create a **synthetic** horizontal synch pulse ...

Two camera system for locating and storing indicia on conveyed items

US Pat. 6236735 - Filed Nov 7, 1997 - United Parcel Service of America, Inc.

OTHER PUBLICATIONS "Use of **Synthetic** Discriminant Functions for Handwritten ...

typically stamped on the parcel in the same area as the **destination address**. ...

Telephone system

US Pat. 5748723 - Filed Dec 13, 1996 - Toshiba Corporation

13 the **destination** candidate associated in said **destination** information table

with the entry identical to said analysis target part of said source **address** ...

Voice message system using **synthetic** speech

US Pat. 5029200 - Filed May 2, 1989 - AT&T Bell Laboratories

Network voice mail message 400 is then transmitted to the **destination** VMS ...

45 The common phrase ID 604 may point to a memory **address** (as shown in FIG. ...

Video capture method

US Pat. 6020900 - Filed Apr 14, 1997 - International Business Machines Corporation

... invention addresses w host processor while a new **destination address** is loaded.

... ferred so that it can load a new DMA **address**. The **synthetic** fashion. ...

Simulation of computer-based telecommunications system

US Pat. 5946474 - Filed Jul 3, 1997 - Telefonaktiebolaget L M Ericsson

This table has an array listing the blocks that are the (**synthetic**) instruction set

... When a signal is sent, the 34 EXECUTION MODEL destination address is ...

Speech recognition control system and method

US Pat. 4605080 - Filed Mar 25, 1985

... speaker 45 which receives **synthetic** speech signals from an amplifier 46 connected

... the printing of the **destination** or **address** to which the article or ...

Go o o o o o o o o o o g l e ▶

Result Page: 1 2 3 4 5 6 7 8 **Next**

destination address is synthetic

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)



destination address is synthetic hardware addi

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)

"is" is a very common word and was not included in your search. [\[details\]](#)

Patents

Patents 1 - 10 on **destination address is synthetic hardware address**. (0.02 seconds)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Simulation of computer-based telecommunications system

US Pat. 5946474 - Filed Jul 3, 1997 - Telefonaktiebolaget L M Ericsson

The signal may be 1Q measurements take place at the TRL **Hardware** error situ- sent

... When a signal is sent, the 34 EXECUTION MODEL **destination address** is ...

Sprites with depth

US Pat. 6215496 - Filed Jul 23, 1998 - Microsoft Corporation

Forward mapping pushes pixels from the source (original) image to the **destination** (new)

image, using a mapping that specifies the **destination pixel address** ...

Message routing in a multi-processor computer system with alternate edge ...

US Pat. 5594866 - Filed Mar 18, 1996 - Intel Corporation

After a communication route is established, the **destination** node responds ...

All odd edges of the strobe signal are unmodified by the routing **hardware**. ...

Intrusion and misuse deterrence system employing a virtual network

US Pat. 7240368 - Filed Apr 13, 2000 - Verizon Corporate Services Group Inc.

That is, **destination address** 44 equals a **destination address** in virtual network 60.

... of **hardware** will be suitable for practicing the present invention. ...

Coupling of voice and computer resources over networks

US Pat. 5610920 - Filed Mar 20, 1996 - Lockheed Martin Corporation

The system uses voice processing **hardware** as well as open systems architecture (OSA)

hardware and networks. The system does not **address**: 50 1) real-time ...

Server for handling multimodal information

US Pat. 6859451 - Filed Apr 21, 1998 - Nortel Networks Limited

HARDWARE EXAMPLES In principle, the server could be implemented on a wide ...

and able to use it as a data source or **destination**, by making telephone calls ...

Multi-mode radar system having real-time ultra high resolution **synthetic** ...

US Pat. 5708436 - Filed Jun 24, 1996 - Northrop Grumman Corporation

... , ___ .. as to select mods dependent **hardware** paths due to the fact w ,]]i(E of(a.

.... memory 178 and the **destination** program to channel dunnig a SAR ...

Packet network telecommunication system having access nodes with word ...

US Pat. 4866759 - Filed Nov 30, 1987

The ASCII over PTN 16 to the **destination** PTN access node 18. and message storage

... The egress tele- using conventional text-to-speech **hardware** and soft- ...

Optimal paths for marine data collection

US Pat. 6629037 - Filed Jun 26, 2000 - WesternGeco, L.L.C.

Cable functions or **hardware** implementing functions or neural networks can be ...

MCm(k) ii=serial **address** of vessel j=serial **address** of destination cell (6) ...

Acoustic signal transmission with insertion signal for machine control
US Pat. 6947893 - Filed Nov 16, 2000 - Nippon Telegraph & Telephone Corporation
Also, the **hardware** structures of the synthesizing apparatus 4 and extraction ...
pathways from the current location to the target **destination** location, ...

Google ►

Result Page: 1 2 **Next**

destination address is synthetic hardware address Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google